

- NOTES:
1. GAS/DIESEL USE
 2. ENVIROLASTIC 940 DTM POLYASPARTIC URETHANE COATING FOR HIGH PERFORMANCE FINISH (MEMCO GREY)
 3. UL 2085 LABELED AND LISTED
 4. 2 HOUR RATING TESTED TO SWRI 97-04 NFPA 30 A FIRE RESISTANT TANK
 5. ENGINEERED HURRICANE TIE-DOWN
 6. LEAD TIME IS DEPENDENT ON IMMEDIATE APPROVAL



*LEAD TIMES BEGIN UPON RECEIPT OF SIGNED APPROVED
DRAWING, WHICH MUST BE RETURNED BEFORE
PRODUCTION CAN BEGIN*

#20210




STI
SwRI
UL

IT IS THE CLIENT'S RESPONSIBILITY TO ENSURE SYSTEM COMPLIANCE WITH
APPLICABLE REGULATIONS.

DRAWN BY AP MEMCO REP	3/18/2020	MEMCO, INC	
QUOTE # TANK#20210		1,000 GALLON FIREGUARD TANK (STOCK TANK)	
Customer Approval Signature		SIZE C	REV
CUSTOMER REQUESTED COMPLETION DATE :		DWG NO TANK#20210	
		SCALE	SHEET 1 OF 3

This document and all information and design thereon are the property of EnviroSafe Fuel Systems. This document is confidential and must not be made public or copied without written authorization from EnviroSafe and is subject to return upon demand. No use of this document or any design thereon is permitted except as is specifically authorized in writing by EnviroSafe. Acceptance of possession of this document constitutes full agreement with the above conditions. All Rights Reserved. Memco, Inc

PARTS LIST		
ITEM	QTY	DESCRIPTION
1	1	1,000 GALLON FIREGUARD TANK MOUNTED ON SADDLES
2	1	18" MANWAY FOR EASY INNER TANK ACCESSIBILITY
3	2	6 IN NPT THREADED FLANGE
4	5	4 IN NPT THREADED FLANGE
5	3	3" NPT THREADED FLANGE (CONCRETE PORT)
6	4	2 IN NPT THREADED FLANGE
7	2	LIFTING LUG
8	1	TANK DECAL KIT (NOT SHOWN)



IT IS THE CLIENT'S RESPONSIBILITY TO ENSURE SYSTEM COMPLIANCE WITH APPLICABLE REGULATIONS.

LEAD TIMES BEGIN UPON RECEIPT OF SIGNED APPROVED DRAWING, WHICH MUST BE RETURNED BEFORE PRODUCTION CAN BEGIN


#20210

SHELL THICKNESS: 3/16"
HEAD THICKNESS: 1/4"

STI
SwRI
UL

This document and all information and design thereon are the property of Envirosafe Fuel Systems. This document is confidential and must not be made public or copied without written authorization from Envirosafe and is subject to return upon demand. No use of this document or any design thereon is permitted except as is specifically authorized in writing by Envirosafe. Acceptance of possession of this document constitutes full agreement with the above conditions. All Rights Reserved. Memco, Inc

DRAWN BY AP MEMCO REP	3/18/2020	MEMCO, INC	
QUOTE #	TANK#20210	1,000 GALLON FIREGUARD TANK (STOCK TANK)	
Customer Approval Signature		SIZE C	REV
		SCALE	TANK#20210
		SHEET 2 OF 3	



PARTS LIST			
ITEM	QTY	DESCRIPTION	PART NUMBER
1	1	1,000 GALLON FIREGUARD TANK MOUNTED ON SADDLES	1000-Fireguard-Secondary-Tank.ipt
2	1	18" MANWAY FOR EASY INNER TANK ACCESSIBILITY	P-18" MANWAY - 10
3	2	6 IN NPT THREADED FLANGE	P-SERIES-159
4	5	4 IN NPT THREADED FLANGE	P-SERIES 262
5	3	3" NPT THREADED FLANGE (CONCRETE PORT)	P- SERIES 260
6	4	2 IN NPT THREADED FLANGE	P-SERIES 158
7	2	LIFTING LUG	LIFTING LUG SMALL
8	1	TANK DECAL KIT (NOT SHOWN)	P-TANK DECAL KIT

IT IS THE CLIENT'S RESPONSIBILITY TO ENSURE SYSTEM COMPLIANCE WITH APPLICABLE REGULATIONS.

LEAD TIMES BEGIN UPON RECEIPT OF SIGNED APPROVED DRAWING, WHICH MUST BE RETURNED BEFORE PRODUCTION CAN BEGIN

#20210

STI
SwRI
UL

This document and all information and design thereon are the property of EnviroSafe Fuel Systems. This document is confidential and must not be made public or copied without written authorization from EnviroSafe and is subject to return upon demand. No use of this document or any design thereon is permitted except as is specifically authorized in writing by EnviroSafe. Acceptance of possession of this document constitutes full agreement with the above conditions. All Rights Reserved. Memco, Inc

DRAWN BY AP	3/18/2020	MEMCO, INC	
MEMCO REP		1,000 GALLON FIREGUARD TANK (STOCK TANK)	
QUOTE #	TANK#20210		
Customer Approval Signature		SIZE C	DWG NO TANK#20210
		SCALE	REV
		SHEET 3 OF 3	